


NEXGEN

Construction

Façade Access | External Cladding Systems | Fall Protection

Building Maintenance Units AST20



Nexgen Construction
Unit 1 - Shepcote Office Village
Shepcote Lane | Sheffield | S9 1TG | UK

www.nexgenconstruction.co.uk
info@nexgenconstruction.co.uk
[in](https://www.linkedin.com/company/nexgenconstruction) /Nexgenconstruction

www.nexgenconstruction.co.uk

NEXGEN
Construction
Façade Access | External Cladding Systems | Fall Protection



Nexgen are the UK exclusive agents for
Ademsan Machinery

Production Areas

- Building Maintenance Units
- Façade Cleaning Machines
- Electrical Suspended Scaffolding
- Special Design/ Custom-Made
- Rebar Cutting Machines
- Rebar Bending Machines
- Resistance Bending Machines

Our company, Ademsan Machinery, is one of the leading suppliers of Building Maintenance Units (BMU), light construction machinery and equipment. Our production and support services departments are based in Istanbul, Turkey.

Together with 20 distributors in Turkey and 15 overseas (Europe, Asia & MENA regions), we manufacture our products primarily for the construction industry.

Our carefully selected workforce has decades of combined experience to bring project design, manufacturing, installation, maintenance, and technical support services for Building Maintenance Units, Special Design Platforms and Rebar Cutting and Rebar Bending Machines.

Both standard and custom-designed platforms are manufactured.

Our products undergo rigorous quality checks at all stages of production.

AST-20

Series Anchorage (low ride) Davit Arm suspension systemed



- This system is a suspension arms system where arm bases are anchored on the terrace floor or on the inner parapet.
- Steel pedestals (brackets), with intervals appropriate to the specific project, are anchored on the terrace floor or on the parapet.
- L-type suspension arms are used.
- Suspension arms are fixed to the steel pedestals (brackets) using pins
- Suspension arms are assembled, dismantled and moved manually.
- The pedestals are carefully anchored at specific points to ensure the weight of the system is supported.
- According to the requested spec, the system is manufactured to handle single or two-person cradle/platform.
- Height of the suspension arms' and dimensions are manufactured in different types in accordance with the parapet height and the building's terrace dimensions.
- The dimensions of the suspension arms are manufactured in accordance with the parapet height and the building's terrace dimensions.



Dedeman, Antalya - Turkey




Pelican Hill Residence, Antalya - Turkey



Impaş, İstanbul - Turkey



Çardak Hotel, Aşkabat



FEATURES	
Platforms	One-Person or two-person Engined Platfrom AST 05-AST 10
Suspension Arm	L Type
Suspension Arm Dimension	Standard 1 m to the Façade, 1,20 m Height
Vertical Movement	Manual with hand
Anchorage Bolts	4 Pieces M 20
Final Coating	Hot-dipped galvanised (painted according to request).